

Summary of Historical Drill Assay composites, Amisk-Laurel Gold Deposit

Hole	Easting	Northing	Az/Dip	From (m)	To (m)	Length	Au (g/t)	Ag (g/t)	Unsampled interval (m)
AL96-219	9800.00	5175.00	176/-48 <i>incl</i>	165.00 237.00	244.00 239.00	79.00 2.00	5.41 192.60	46.4 1600.0	27.00
AL8-159	9937.50	5075.00	180/-66 <i>incl</i>	6.00 142.00	202.77 155.50	196.77 13.50	2.09 24.95	7.6 68.8	85.86
AL8-176	9937.50	5075.00	157.5/-65 <i>incl</i> <i>incl</i> <i>incl</i>	13.80 18.50 29.80 99.00	178.92 19.75 30.80 100.00	165.12 1.25 1.00 1.00	2.39 176.90 29.90 43.92	14.6 1229.9 51.0 164.6	2.80
AL6-44	10000.00	5125.00	180/-45 <i>incl</i>	85.40 142.00	222.75 160.75	137.35 18.75	2.12 10.95	18.9 100.8	63.35
AL5-05	10000.00	4952.00	180/-45 <i>incl</i>	28.53 29.26	77.60 31.09	49.07 1.83	5.32 112.43	9.0 144.6	30.19
AL7-096	10002.00	4937.50	0/-55 <i>incl</i> <i>incl</i> <i>incl</i>	33.61 56.63 105.80 108.80	175.97 57.13 106.30 110.30	142.36 0.50 0.50 1.50	1.68 23.35 199.89 16.14	6.9 134.1 394.3 63.1	53.12
AL6-54	9675.00	9975.00	180/-45 <i>incl</i> <i>incl</i> <i>incl</i>	10.10 16.00 59.25 73.00	83.50 17.00 59.75 74.30	73.40 1.00 0.50 1.30	3.23 17.69 92.91 44.23	19.7 136.1 586.3 139.2	0.00
AL7-108	9980.00	5175.00	171/-45 <i>incl</i> <i>incl</i> <i>incl</i>	114.00 163.25 180.25 211.25	236.50 164.25 182.75 211.75	122.50 1.00 2.50 0.50	1.76 24.79 20.24 152.57	5.0 42.9 48.0 68.9	0.00
AL97-259	10200.00	5075.00	270/-50 <i>incl</i> <i>incl</i>	213.00 253.00 273.00	361.78 254.00 274.00	148.78 1.00 1.00	1.43 76.55 34.80	7.5 340.0 73.0	57.90
AL7-123	9975.00	5062.50	180/-45 <i>incl</i>	16.72 40.00	158.90 51.00	142.18 11.00	1.38 7.80	7.7 4.7	21.43
AL7-089	9975.00	5075.00	180/-45 <i>incl</i> <i>incl</i>	10.10 105.19 144.03	146.03 111.69 145.03	135.93 6.50 1.00	1.41 6.42 81.60	6.0 25.1 181.0	23.25
AL96-243	9749.65	5299.75	180/-50 <i>incl</i> <i>incl</i>	293.00 305.55 343.42	355.23 306.00 346.00	62.23 0.45 2.58	3.03 25.31 47.19	6.0 66.0 16.5	23.39
AL7-124	10000.00	5062.50	180/-47 <i>incl</i> <i>incl</i> <i>incl</i> <i>incl</i>	36.00 39.00 93.00 101.25 117.75	124.00 40.00 93.50 102.25 118.25	88.00 1.00 0.50 1.00 0.50	1.85 12.86 36.69 11.18 40.80	11.4 74.0 92.9 41.0 142.3	0.00
AL98-266	10025.00	5200.00	180/-50 <i>incl</i> <i>incl</i>	132.50 177.60 251.00	262.00 178.41 255.40	129.50 0.81 4.40	1.23 28.17 18.17	8.3 150.0 119.5	66.72
AL98-263	9825.00	5300.00	202/-50 <i>incl</i>	323.70 382.30	392.90 389.30	69.20 7.00	2.23 18.33	7.9 44.3	30.60
AL6-37	9975.00	5050.00	180/-45 <i>incl</i>	30.25 78.90	149.80 79.40	119.55 0.50	1.25 82.29	3.7 73.7	41.71
AL7-084	10025.00	5087.50	185/-45 <i>incl</i> <i>incl</i>	24.16 24.66 89.40	149.13 25.16 90.40	124.97 0.50 1.00	1.17 21.02 29.35	9.0 153.6 102.2	31.92

Hole	Easting	Northing	Az/Dip	From (m)	To (m)	Length	Au (g/t)	Ag (g/t)	Unsampled interval (m)
AL8-151	9995.00	4875.00	58/-45 <i>incl</i>	51.95 61.33	74.95 67.33	23.00 6.00	6.26 20.39	30.9 73.3	6.00
AL7-105	9950.00	5075.00	180/-45 <i>incl</i>	8.68 132.20	133.70 132.70	125.02 0.50	1.09 141.60	3.5 30.0	22.92
AL7-107	10000.00	5075.00	180/-55 <i>incl</i>	34.00 50.50	148.35 52.00	114.35 1.50	1.19 15.69	10.6 209.0	1.00
AL8-156	10012.00	5000.00	180/-45 <i>incl</i> <i>incl</i>	36.50 38.00 60.00	80.00 38.50 61.50	43.50 0.50 1.50	2.90 28.15 65.51	8.7 319.5 41.8	25.00
AL3-15	9921.50	4925.00	64/-45	20.29	156.53	136.24	0.82	0.9	21.61
AL8-168	10027.00	4908.00	13/-45 <i>incl</i>	25.00 77.00	83.00 81.00	58.00 4.00	1.80 18.42	18.8 191.7	33.00
AL9-203	9800.00	5275.00	180/-45 <i>incl</i>	318.05 376.48	378.48 377.48	60.43 1.00	1.70 48.10	15.9 223.9	29.73
AL6-28	10025.00	4925.00	180/-45 <i>incl</i> <i>incl</i>	50.30 52.60 58.30	60.80 53.05 58.40	10.50 0.45 0.10	8.82 63.09 562.29	24.4 131.3 1584.0	7.30
AL96-232	9771.15	5250.66	178/-48 <i>incl</i> AND <i>incl</i>	119.55 120.55 295.95 295.95	127.20 121.40 314.30 297.11	7.65 0.85 18.35 1.16	3.84 29.52 4.99 55.97	11.1 45.0 17.6 147.5	0.00 0.00
AL7-106	10000.00	5050.00	180/-55 <i>incl</i> AND <i>incl</i>	32.04 77.30 142.00 143.75	114.80 78.30 147.25 145.25	82.76 1.00 5.25 1.50	1.07 21.60 8.21 25.65	5.6 50.9 37.8 101.5	0.00 0.00
AL8-150	10000.00	5150.00	180/-45 <i>incl</i> AND <i>incl</i>	26.00 34.00 93.50 164.60	51.50 36.00 189.75 167.10	25.50 2.00 96.25 2.50	1.63 11.69 0.90 16.69	9.6 29.2 4.6 108.3	9.50 66.13
AL5-04	10000.50	5000.00	180/-45 <i>incl</i>	29.57 57.91	97.99 59.74	68.42 1.83	1.26 35.27	8.5 224.0	35.66
AL96-238	9750.09	5177.32	180/-50 <i>incl</i> <i>incl</i>	186.15 203.59 213.23	225.44 204.81 214.23	39.29 1.22 1.00	2.19 35.00 10.76	13.3 46.1 98.0	0.00
AL5-11	10000.00	5038.00	180/-65	31.70	104.24	72.54	1.15	5.7	40.29
AL8-164	9700.00	4925.00	270/-45	15.00	75.00	60.00	1.33	8.4	0.00
AL7-093	10025.00	5025.00	180/-45 <i>incl</i>	29.52 73.54	80.70 74.14	51.18 0.60	1.55 17.90	13.1 233.5	10.06
AL96-241	9852.45	5257.32	180/-50 <i>incl</i> <i>incl</i> AND	245.09 268.86 286.60 335.71	291.60 270.27 288.60 371.50	46.51 1.41 2.00 35.79	1.69 23.59 11.04 0.90	7.2 88.0 46.5 16.4	1.10 0.00
AL5-06	9941.00	5001.00	180/-45 <i>incl</i> <i>incl</i>	21.95 48.46 59.44	77.72 49.38 61.26	55.77 0.92 1.82	1.41 32.19 10.49	5.2 4.1 1.6	0.00
AL97-250	9700.00	5250.00	180/-50 <i>incl</i>	252.30 300.30	307.30 301.30	55.00 1.00	1.42 19.17	7.9 46.0	0.00
AL6-26	10025.00	4975.00	180/-45 <i>incl</i>	42.00 70.55	117.95 70.73	75.95 0.18	1.01 67.89	6.5 87.4	44.90
AL7-125	9960.00	5200.00	185/-46 <i>incl</i>	211.00 231.00	261.00 233.00	50.00 2.00	1.53 19.66	4.5 23.2	0.00
AL96-227	9799.98	5227.86	176/-62	287.90	405.19	117.29	0.64	4.8	2.02

Hole	Easting	Northing	Az/Dip	From (m)	To (m)	Length	Au (g/t)	Ag (g/t)	Unsampled interval (m)
			AND	429.00	436.50	7.50	2.89	35.0	3.40
			<i>incl</i>	431.00	431.70	0.70	14.59	250.0	
AL6-43	9975.00	5100.00	180/-45	21.20	54.55	33.35	0.88	3.8	3.25
			AND	95.50	168.08	72.58	1.03	6.1	12.76
			<i>incl</i>	161.58	162.58	1.00	11.35	9.7	
AL7-087	9975.00	5025.00	180/-45	16.00	100.25	84.25	0.86	7.1	15.80
			<i>incl</i>	96.25	96.75	0.50	32.61	4.3	
AL7-122	9975.00	5037.50	180/-45	37.50	108.00	70.50	0.98	7.5	0.00
UL-29	10029.85	4947.86	12/32	21.00	49.12	28.12	2.37	10.6	2.42
			<i>incl</i>	31.60	33.20	1.60	31.14	103.7	
AL6-45	10025.00	5125.00	180/-45	136.80	192.00	55.20	1.20	7.9	10.55
			<i>incl</i>	162.70	162.85	0.15	178.00	830.0	
AL6-46	9925.00	5050.00	180/-45	14.33	107.65	93.32	0.71	2.8	13.48
			<i>incl</i>	106.00	106.15	0.15	87.40	108.0	
AL7-121	9987.50	5050.00	181/-45	32.50	105.00	72.50	0.89	7.8	0.00
			<i>incl</i>	99.50	100.50	1.00	10.80	10.3	
UG8-3-16	10014.51	4849.53	110/-27	34.60	54.80	20.20	3.15	7.7	10.20
			<i>incl</i>	47.30	48.80	1.50	33.46	43.3	
AL7-116	9966.00	5200.00	180/-54	210.50	270.25	59.75	0.65	3.9	18.28
			AND	280.75	327.25	46.50	1.28	8.9	21.00
			<i>incl</i>	323.75	326.25	2.50	16.00	102.0	
AL8-191	9850.00	5075.00	180/-69	76.00	151.00	75.00	0.78	5.0	0.33
AL7-113	9995.00	4875.00	77/-45	42.75	81.75	39.00	1.42	9.2	1.00
			<i>incl</i>	61.00	61.50	0.50	60.34	285.3	
AL98-264	9825.00	5375.00	180/-45	419.30	474.70	55.40	0.97	5.7	31.40
			<i>incl</i>	455.60	455.80	0.20	105.70	370.0	
AL7-103	10002.00	4979.00	0/-45	26.00	110.00	84.00	0.64	4.0	15.00
AL8-174	9937.50	5075.00	167/-73	14.00	45.00	31.00	1.66	9.6	2.00
			<i>incl</i>	18.00	19.00	1.00	14.85	50.4	
			<i>incl</i>	42.00	43.00	1.00	15.57	128.6	
AL7-091	10050.00	5025.00	180/-45	57.45	105.16	47.71	1.07	8.1	18.51
			<i>incl</i>	96.74	97.24	0.50	21.91	183.4	
AL6-38	10025.00	5050.00	180/-45	34.06	98.76	64.70	0.77	5.1	48.67
			<i>incl</i>	96.70	97.76	1.06	23.12	154.8	
AL8-160	9900.00	5164.00	180/-45	18.00	58.00	40.00	1.21	9.6	2.00
AL8-165	9944.50	5050.00	180/-67	15.00	60.50	45.50	0.56	2.7	9.50
			AND	80.00	134.00	54.00	0.89	7.5	4.00
AL96-214	9589.00	4874.00	58/-46	27.56	76.06	48.50	0.99	7.5	0.00
AL97-251	9700.00	5200.00	180/-50	248.00	277.00	29.00	1.64	4.5	0.00
			<i>incl</i>	276.00	277.00	1.00	26.55	23.0	
AL8-154	9900.00	5075.00	180/-69	113.00	137.00	24.00	1.90	10.5	4.50
			<i>incl</i>	133.00	135.50	2.50	13.32	60.3	
AL8-157	9987.50	5000.00	180/-45	53.00	85.00	32.00	1.36	7.6	2.50
			<i>incl</i>	57.00	58.50	1.50	14.72	58.2	
AL8-161	9900.00	5075.00	180/-55	98.50	138.50	40.00	0.51	4.5	13.00
			AND	213.00	218.00	5.00	8.52	110.4	0.00
			<i>incl</i>	214.00	214.50	0.50	69.26	795.4	
AL96-236	9824.62	5149.81	180/-50	42.90	44.15	1.25	20.48	74.7	0.00
			AND	210.50	215.09	4.59	8.89	26.4	0.00
			<i>incl</i>	210.50	211.50	1.00	38.07	54.0	
AL6-47	9925.00	5100.00	180/-45	98.05	157.40	59.35	0.69	3.1	3.35
AL6-34	10025.00	4950.00	180/-45	58.23	66.70	8.47	4.76	18.0	3.46

Hole	Easting	Northing	Az/Dip	From (m)	To (m)	Length	Au (g/t)	Ag (g/t)	Unsampled interval (m)
			<i>incl</i>	64.30	65.27	0.97	34.23	107.0	
AL96-220	9775.40	5197.00	180/-48	229.50	261.00	31.50	1.26	12.5	4.50
AL8-135	9875.00	5213.00	180/-45	197.25	242.00	44.75	0.86	6.8	1.00
AL96-247	9700.00	5325.00	180/-55	366.70	375.40	8.70	4.42	69.1	0.00
			<i>incl</i>	366.70	367.70	1.00	11.83	400.0	
			<i>incl</i>	374.40	375.40	1.00	19.42	74.0	
UL-42	10013.22	5027.03	150/-44	3.00	31.78	28.78	1.33	12.9	3.98
			<i>incl</i>	16.80	17.30	0.50	36.00	395.2	
UG8-3-09	10013.01	4852.18	25/-5	54.20	54.70	0.50	76.50	118.5	0.00
UL-27	10029.52	4948.19	2/-7	31.40	54.30	22.90	1.67	14.4	12.10
AL96-225	9846.60	5200.00	180/-48	182.00	212.95	30.95	1.22	7.7	12.92
			<i>incl</i>	194.50	195.50	1.00	13.52	178.0	
			<i>incl</i>	204.46	205.00	0.54	25.79	40.0	
AL98-262	9850.00	5225.00	180/-50	225.00	262.00	37.00	0.98	10.0	6.70
AL6-33	10025.00	5000.00	180/-45	103.33	125.60	22.27	1.61	9.2	7.92
			<i>incl</i>	112.60	112.76	0.16	63.09	123.4	
AL96-218	9800.00	5075.00	180/-48	60.07	120.07	60.00	0.60	7.0	0.00
UL-35	10000.23	5026.82	180/-30	10.84	29.29	18.45	1.90	8.0	13.60
			<i>incl</i>	13.70	14.50	0.80	23.00	28.3	
AL97-256	9870.00	5175.00	175/-50	179.00	208.00	29.00	1.20	9.2	6.00
			<i>incl</i>	200.00	201.00	1.00	20.55	180.0	
			AND	282.00	308.00	26.00	1.30	15.3	5.00
AL96-237	9739.37	5225.48	180/-50	119.83	123.84	4.01	5.88	18.5	2.30
			<i>incl</i>	123.13	123.84	0.71	31.79	93.0	
			AND	250.94	277.25	26.31	1.31	6.4	5.67
AL8-155	9900.00	5075.00	180/-78	137.00	172.50	35.50	0.94	4.6	14.50
			<i>incl</i>	144.50	145.50	1.00	17.64	39.8	
AL8-143	9904.00	5140.00	180/-45	13.50	33.50	20.00	1.62	5.9	1.00
			AND	137.00	171.75	34.75	0.79	4.7	6.75
			AND	243.00	254.00	11.00	2.10	35.6	0.00
AL96-248	9825.00	5400.00	180/-50	411.20	444.20	33.00	0.98	4.7	8.00
AL96-229	9941.83	5084.60	201/-66	3.00	55.47	52.47	0.62	4.4	0.00
AL7-117	9700.00	4900.00	0/-45	77.00	108.31	31.31	1.02	5.0	0.00
AL97-258	9875.00	5307.00	180/-50	333.00	360.00	27.00	1.16	7.5	0.00
AL8-162	9700.00	4950.00	270/-45	43.00	76.00	33.00	0.95	7.0	0.00
AL97-253	9850.00	5050.00	180/-48	32.65	66.65	34.00	0.91	7.3	0.03
AL96-226	9799.22	5227.20	176/-48	267.40	294.05	26.65	1.13	16.0	0.00
AL98-261	9825.00	5100.00	180/-50	73.00	93.50	20.50	1.45	9.2	4.99
			<i>incl</i>	91.00	92.00	1.00	15.21	35.0	
AL6-56	9825.00	5050.00	180/-45	40.55	76.60	36.05	0.82	7.7	0.00
AL3-17	9805.00	5092.00	64/-45	48.00	87.00	39.00	0.76	3.1	3.50
AL6-52	9725.00	10050.00	180/-45	51.00	89.75	38.75	0.75	2.5	6.75
AL8-153	10012.50	4950.00	180/-45	39.50	67.50	28.00	1.04	5.4	12.50
AL7-082	10050.00	4900.00	185/-45	68.00	81.40	13.40	1.86	42.1	5.40
			AND	90.92	107.90	16.98	1.71	6.5	5.18
			<i>incl</i>	105.95	106.45	0.50	39.09	43.9	
AL96-239	9774.46	4894.02	0/-55	87.65	89.15	1.50	15.71	265.0	0.00
			AND	162.00	166.10	4.10	6.90	21.6	0.00
			<i>incl</i>	163.00	163.97	0.97	23.07	44.0	
AL96-235	9850.31	5126.17	180/-50	29.69	45.90	16.21	1.71	4.8	9.03
			<i>incl</i>	32.20	32.80	0.60	37.66	58.3	
AL7-115	9975.00	5225.00	173/-55	385.00	413.61	28.61	0.97	3.6	0.00

Hole	Easting	Northing	Az/Dip	From (m)	To (m)	Length	Au (g/t)	Ag (g/t)	Unsampled interval (m)
UL-34	10031.32	4946.30	99/-6 <i>incl</i>	10.90 10.90	31.32 11.40	20.42 0.50	1.35 33.00	3.9 3.6	13.53
UL-38	9999.13	5027.08	204/-40	24.78	38.17	13.39	2.03	12.3	7.84
AL7-090	10050.00	5075.00	180/-48 <i>incl</i> <i>incl</i>	41.50 41.50 60.25	62.25 42.50 60.75	20.75 1.00 0.50	1.31 11.07 30.34	2.9 26.4 30.2	16.00
AL98-269	9775.00	5300.00	202/-50	361.00	386.00	25.00	1.06	11.2	5.30
AL8-166	10027.00	4908.00	70/-45	46.00	77.00	31.00	0.85	10.7	0.05
AL97-249	9725.00	5275.00	180/-50 AND <i>incl</i>	312.00 362.28 366.00	339.00 368.00 367.00	27.00 5.72 1.00	0.78 4.61 24.14	5.9 7.4 29.0	0.00 0.00
AL96-245	9775.00	5150.00	180/-58	219.00	250.26	31.26	0.84	11.1	18.13
AL6-36	10000.00	5025.00	180/-48 <i>incl</i>	70.95 71.45	73.35 71.70	2.40 0.25	10.90 90.51	18.1 85.0	0.00
AL5-08	9861.00	4983.00	180/-45	16.15	49.99	33.84	0.75	5.7	5.48
UG8-4-24	10061.14	4899.72	60/-58 <i>incl</i>	11.79 17.76	29.68 18.29	17.89 0.53	1.42 37.50	7.2 137.0	11.63
AL6-39	10050.00	4975.00	180/-45 AND <i>incl</i>	11.30 98.78 99.78	44.00 100.46 100.46	32.70 1.68 0.68	0.74 15.03 22.70	7.7 126.5 209.1	4.95 0.00
AL8-134	10100.00	5150.00	180/-45 <i>incl</i>	186.00 189.00	194.00 190.00	8.00 1.00	3.05 13.65	19.3 89.8	0.00
AL96-246	9825.00	5200.00	180/-48 <i>incl</i>	162.00 171.45	183.10 172.00	21.10 0.55	1.14 18.41	8.7 120.0	0.00
AL8-158	9975.00	5175.00	180/-50	179.00	206.00	27.00	0.88	5.0	0.00
AL6-35	9975.00	5000.00	180/-45	57.50	78.65	21.15	1.11	5.0	9.05
AL7-094	10075.00	4925.00	180/-45 <i>incl</i>	29.57 38.12	47.31 38.62	17.74 0.50	1.32 37.37	8.4 131.3	5.24
AL8-185	9850.00	5075.00	150/-70 <i>incl</i> AND	113.00 127.00 147.00	128.00 128.00 166.50	15.00 1.00 19.50	1.53 13.44 1.01	11.3 80.9 6.7	5.50 7.50
AL8-136	9950.00	5350.00	180/-45	350.50	370.00	19.50	1.17	4.0	10.25
AL7-104	10050.00	4987.50	0/-46	39.70	71.00	31.30	0.72	9.5	7.80
AL96-244	9775.00	5150.00	180/-48	145.00	173.82	28.82	0.76	8.3	5.15
UG8-4-19	10059.89	4902.48	2/10	6.30	35.93	29.63	0.72	5.9	21.35
AL98-270	9700.00	5100.00	180/-45 <i>incl</i>	286.00 293.45	294.00 293.68	8.00 0.23	2.66 81.72	5.3 32.0	3.20
UL-30	10030.16	4947.72	25/-39 <i>incl</i>	29.60 31.10	32.10 32.10	2.50 1.00	8.47 18.10	68.8 111.7	0.00
UL-33	10031.42	4946.79	82/-35	28.70	43.15	14.45	1.46	14.5	5.70
AL6-55	9925.00	5020.00	90/-45	42.00	70.00	28.00	0.74	3.7	5.70
UL-43	9998.69	5027.26	233/0	19.00	35.60	16.60	1.24	7.4	4.85
UG8-3-08	10012.77	4852.45	21/-18 <i>incl</i>	48.65 59.45	64.70 59.70	16.05 0.25	1.28 44.00	15.7 468.7	7.25
AL8-129	9800.00	5125.00	180/-45	118.70	155.85	37.15	0.55	6.4	6.09
AL96-223	9723.00	4318.00	359/-88 <i>incl</i>	191.88 191.88	194.40 192.40	2.52 0.52	8.03 38.00	44.7 194.7	0.00
AL97-255	9875.00	5126.00	180/-50	237.00	244.00	7.00	2.88	25.4	0.00
AL6-58	9975.00	5150.00	180/-45	178.00	215.09	37.09	0.54	2.9	16.09
AL97-260	10200.00	5125.00	268/-55	483.65	495.00	11.35	1.72	6.1	0.00
AL6-48	9825.00	5050.00	180/-45	22.98	67.16	44.18	0.44	1.8	0.00

Hole	Easting	Northing	Az/Dip	From (m)	To (m)	Length	Au (g/t)	Ag (g/t)	Unsampled interval (m)
------	---------	----------	--------	----------	--------	--------	----------	----------	------------------------

Note: Intervals noted are intercepted width not true width, have been calculated using a 0.3 g/tonne cut-off and are uncut. They may include internal dilution and/or unsampled intervals. Unsampled intervals have been treated at zero grade for the purpose of composite calculation. Total width of unsampled intervals are noted. Historic assay results have been verified to the original assay certificate where possible; however Quality Assurance and Quality Control procedures have not been verified.